

# TARALAY IMPRESSION

WOOD & RENZO

[gerflorusa.com](http://gerflorusa.com)



**Gerflor**<sup>®</sup>  
theflooringgroup

# TARALAY IMPRESSION WOOD & RENZO



**0024 - Chamois**  
WR: 0896



**0023 - Cajou**  
WR: 0195



**0025 - Taupe**  
WR: 0135



**0068 Pecan**  
WR: 2341



**0069 Noisette**  
WR: 2340



**0026 - Chocolat**  
WR: 2188





**0373 Noma Ice**  
WR: 0580



**0371 Noma Rustic**  
WR: 2336



**0367 Blade Clear**  
WR: 0896




**0584 Cadix Brown**  
WR: 0657




**0592 Ottawa Poplar**  
WR: 0485



**0372 Lounge Chic**  
WR: 0672




**0366 Bamboo Tea**  
WR: 2142






**0587 Saturn Cherry**  
WR: 0676

▶ TARALAY IMPRESSION WOOD & RENZO

Classic & Contemporary



- ▶ Ideal for educational, healthcare, retail and corporate sectors
- ▶ Expanded vinyl backing reinforced with glass fiber grid for dimensional stability, topped with printed design protected by a transparent wearlayer
- ▶ Durable and suitable for high traffic areas
- ▶ Excellent resistance to static and dynamic loads
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria
- ▶ Taralay Impression Comfort:
  - Closed cell very high density  comfort backing
  - Excellent sound insulation properties: **18 dB**
  - Excellent indentation resistance and recovery

PRODUCT SPECIFICATIONS	
Available in	 compact  comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size	in length 82'/25 m
	in width 6'6"/2 m
Coverage/roll in yard <sup>2</sup>	59.7/50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)

Création : misterBrown - Édition : Gutenberg Networks - 53222 - 02/2011



Committed to sustainable development

gerflorusa.com  
 info@gerflorusa.com  
 877 GERFLOR (437-3567)



# TARALAY IMPRESSION

## URBAN

[gerflorusa.com](http://gerflorusa.com)



**Gerflor**<sup>®</sup>  
theflooringgroup


# TARALAY IMPRESSION URBAN



**0038 - Pierre**  
WR: 0645



**0037 - Souris**  
WR: 2190



**0036 - Ciment**  
WR: 0109





**0031 - Bleu**  
WR: 2189



**0032 - Aubergine**  
WR: 2185



**0034 - Safran**  
WR: 2186



**0033 - Rouille**  
WR: 2184




**0035 - Gris**  
WR: 0016






**0030 - Anthracite**  
WR: 0249

▶ TARALAY IMPRESSION URBAN

Innovative, Modern, Practical



- ▶ Ideal for educational, healthcare, retail and corporate sectors
- ▶ Expanded vinyl backing reinforced with glass fiber grid for dimensional stability, topped with printed design protected by a transparent wearlayer
- ▶ Durable and suitable for high traffic areas
- ▶ Excellent resistance to static and dynamic loads
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria
- ▶ Taralay Impression Comfort:
  - Closed cell very high density  comfort backing
  - Excellent sound insulation properties: **18 dB**
  - Excellent indentation resistance and recovery

PRODUCT SPECIFICATIONS	
Available in	 compact  comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size	in length 82' / 25 m
	in width 6'6" / 2 m
Coverage/roll in yard <sup>2</sup>	59.7 / 50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)

Création : misterBrown - Édition : Gutenberg Networks - 53222 - 02/2011



Committed to sustainable development

gerflorusa.com  
 info@gerflorusa.com  
 877 GERFLOR (437-3567)



**Gerflor®**  
 theflooringgroup

# TARALAY IMPRESSION

## PAPYRUS

[gerflorusa.com](http://gerflorusa.com)



**Gerflor**<sup>®</sup>  
theflooringgroup

# TARALAY IMPRESSION PAPYRUS




**0002 - Thot**  
WR: 5501



**0013 - Gizeh**  
WR: 0186




**0005 - Mout**  
WR: 2919



**0015 - Sphinx**  
WR: 0149



**0017 - Ra**  
WR: 2917




**0019 - Ahmosis**  
WR: 0544



**0009 - Bes**  
WR: 2912






**0003 - Seth**  
WR: 0896




**0010 - Amset**  
WR: 0257




**0001 - Sobek**  
WR: 2920



**0011 - Nephtys**  
WR: 2918



**0006 - Amenophis**  
WR: 2913



**0004 - Anta**  
WR: 0906




**0012 - Pharaon**  
WR: 0169







**0018 - Khnoum**  
WR: 2947

▶ TARALAY IMPRESSION PAPYRUS

Innovative Design & Practical...



- ▶ Ideal for educational, healthcare, retail and corporate sectors
- ▶ Expanded vinyl backing reinforced with glass fiber grid for dimensional stability, topped with printed design protected by a transparent wearlayer
- ▶ Durable and suitable for high traffic areas
- ▶ Excellent resistance to static and dynamic loads
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria
- ▶ Taralay Impression Comfort:
  - Closed cell very high density  comfort backing
  - Excellent sound insulation properties: **18 dB**
  - Excellent indentation resistance and recovery

PRODUCT SPECIFICATIONS	
Available in	 compact  comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size	in length 82' / 25 m
	in width 6'6" / 2 m
Coverage/roll in yard <sup>2</sup>	59.7 / 50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)

Création : misterBrown - Édition : Gutenberg Networks - 53222 - 02/2011



Committed to sustainable development

gerflorusa.com  
 info@gerflorusa.com  
 877 GERFLOR (437-3567)



# TARALAY IMPRESSION

## ORGANIC

gerflorusa.com



**Gerflor**<sup>®</sup>  
theflooringgroup

# TARALAY IMPRESSION ORGANIC



**0073 Sand**  
WR: 2344



**0075 Corail**  
WR: 2346



**0074 Carmin**  
WR: 2345






**0076 Garden**  
WR: 2242




**0072 Candy**  
WR: 2343



**0071 Basalt**  
WR: 2227



**0070 Pearl**  
WR: 0807




**0078 Indigo**  
WR: 0823







**0077 Cotton Blue**  
WR: 2353

▶ TARALAY IMPRESSION ORGANIC

Contemporary & Creative Design



- ▶ Ideal for educational, healthcare, retail and corporate sectors
- ▶ Expanded vinyl backing reinforced with glass fiber grid for dimensional stability, topped with printed design protected by a transparent wearlayer
- ▶ Durable and suitable for high traffic areas
- ▶ Excellent resistance to static and dynamic loads
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria
- ▶ Taralay Impression Comfort:
  - Closed cell very high density  comfort backing
  - Excellent sound insulation properties: **18 dB**
  - Excellent indentation resistance and recovery

PRODUCT SPECIFICATIONS	
Available in	 compact  comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size	in length 82'/25 m
	in width 6'6"/2 m
Coverage/roll in yard <sup>2</sup>	59.7/50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)

Création : misterBrown - Edition : Gutenberg Networks - 53222 - 02/2011



Committed to sustainable development

gerflorusa.com  
 info@gerflorusa.com  
 877 GERFLOR (437-3567)



# TARALAY IMPRESSION


## DIVERSION

[gerflorusa.com](http://gerflorusa.com)



**Gerflor**<sup>®</sup>  
the flooring group


# TARALAY IMPRESSION DIVERSION



**0044 - Baltique**  
WR: 2194



**0046 - Argile**  
WR: 0645



**0049 - Carbone**  
WR: 0448



**0043 - Latérite**  
WR: 0928




**0052 - Aigue Marine**  
WR: 0262



**0050 - Mandarine**  
WR: 2121



**0054 - Cactus**  
WR: 2192



**0053 - Blé**  
WR: 2917




**0045 - Métal**  
WR: 2125





**0047 - Ivoire**  
WR: 0673

▶ TARALAY IMPRESSION DIVERSION

Creative Design & Comfort



- ▶ Ideal for educational, healthcare, retail and corporate sectors
- ▶ Very high density (VHD) expanded vinyl backing reinforced with glass fiber grid for dimensional stability with printed design protected by a transparent wearlayer
- ▶ Durable and suitable for high traffic areas
- ▶ Excellent indentation resistance and recovery
- ▶ Excellent sound insulation properties: **18 dB**
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria

PRODUCT SPECIFICATIONS	
Available in	 comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size in length	82'/25 m
in width	6'6"/2 m
Coverage/roll in yard <sup>2</sup>	59.7/50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)

Création : misterBrown - Édition : Gutenberg Networks - 53222 - 02/2011



Committed to sustainable development

gerflorusa.com  
info@gerflorusa.com  
877 GERFLOR (437-3567)




# TARALAY IMPRESSION CHROMATICS

[gerflorusa.com](http://gerflorusa.com)



**Gerflor**<sup>®</sup>  
theflooringgroup


# TARALAY IMPRESSION CHROMATICS



**0058 - Festival**  
WR: 0730





**0057 - Croisette**  
WR: 0184 / 2946





▶ TARALAY IMPRESSION CHROMATICS

Colorful stripes,  
Contemporary style



- ▶ Recommended for heavy traffic areas in healthcare, retail, corporate and educational sectors...
- ▶ Highly durable
- ▶ Excellent sound insulation properties: **18 dB**
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Closed cell high density comfort backing  reinforced with a glass fiber grid
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria

PRODUCT SPECIFICATIONS	
Available in	 comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size in length	82'/25 m
in width	6'6"/2 m
Coverage/roll in yard <sup>2</sup>	59.7/50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)

Création : misterBrown - Édition : Gutenberg Networks - 50631 - 06/2010



Committed to sustainable development

gerflorusa.com  
info@gerflorusa.com  
877 GERFLOR (437-3567)



**Gerflor®**  
theflooringgroup

# TARALAY UNI

gerflorusa.com




**Gerflor**  
theflooringgroup

gerflorusa.com



## ▶ TARALAY UNI

Innovative, Comfortable, Practical...



- ▶ Recommended for heavy traffic areas in healthcare, retail, corporate and education sectors
- ▶ Excellent sound insulation properties: **17 dB**
- ▶ High resistance to indentation and extremely durable
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria

### PRODUCT SPECIFICATIONS

Available in	 comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size	in length 82' / 25 m
	in width 6'6" / 2 m
Coverage/roll in yard <sup>2</sup>	59.7 / 50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)



Committed to sustainable development

gerflorusa.com  
info@gerflorusa.com  
877 GERFLOR (437-3567)

**Gerflor**  
theflooringgroup

# TARALAY UNI



6126 - Melon  
WR: 0184



6130 - Potiron  
WR: 0465



6115 - Piment  
WR: 2947



6133 - Aubergine  
WR: 0493




6443 - Ciel  
WR: 0262



6450 - Ocean  
WR: 0479



6449 - Espace  
WR: 0480



6706 - Argent  
WR: 0304



6031 - Désert  
WR: 0110



6546 - Vert d'eau  
WR: 0466




6551 - Tilleul  
WR: 0467




6549 - Kaki  
WR: 0468




6750 - Alu  
WR: 0151



6605 - Blanc  
WR: 0030



6364 - Hoggar  
WR: 0153



6314 - Beige  
WR: 0386



6048 - Chataigne  
WR: 0462



6790 - Fog  
WR: 0330



# TARALAY IMPRESSION OXYGEN

gerflorusa.com



**Gerflor**  
theflooringroup

gerflorusa.com



## ▶ TARALAY IMPRESSION OXYGEN

### Creative Design, Durable



- ▶ Ideal for educational, healthcare, retail and corporate sectors
- ▶ Very high density (VHD) expended vinyl backing reinforced with glass fiber grid for dimensional stability with printed design protected by a transparent wearlayer
- ▶ Durable and suitable for high traffic areas
- ▶ Excellent indentation resistance and recovery
- ▶ Excellent sound insulation properties: **18 dB**
- ▶ Contains the no-polish-for-life treatment **PROTECSOL®**
- ▶ Treated with **SANOSOL®** to combat the growth of fungus and bacteria

### PRODUCT SPECIFICATIONS

Available in	 comfort
Surface treatment	<b>Protecsol®</b>
Bacteriostatic and fungistatic treatment	<b>Sanosol®</b>
Roll size in length	82' / 25 m
in width	6'6" / 2 m
Coverage/roll in yard <sup>2</sup>	59.7 / 50 m <sup>2</sup>
	100 % recyclable

For complete and most current colors, specifications, certificates, installation and maintenance guides visit [www.gerflorusa.com](http://www.gerflorusa.com)



Committed to sustainable development


gerflorusa.com  
info@gerflorusa.com  
877 GERFLOR (437-3567)

**Gerflor**  
theflooringroup


# TARALAY IMPRESSION OXYGEN



**0081 - Moon**  
WR: 2347



**0082 - Biscuit**  
WR: 0656



**0080 - Eclipse**  
WR: 2143



**0087 - Botanic**  
WR: 2145



**0084 - Lemon**  
WR: 2350




**0085 - Abricot**  
WR: 2349




**0088 - Obscur**  
WR: 0899



**0084 - Burgundi**  
WR: 2348



**0083 - Brun Choco**  
WR: 2324



**0079 - Wind**  
WR: 0388

